



Megazyme

Megazyme Building 1,
Bray Business Park,
Bray, Co. Wicklow,
A98 YV29,
Ireland.
Tel: + 353 1 2861220 Fax: + 353 1 2861264

Certificate of Analysis

Product: Maltohexaose
Cat. No: O-MAL6
Lot. No: 210306
Expiry Date: N/A

Parameters:

Purity By	Specification	Result
HPLC	>90%	90%

This lot meets our specification.

Signature:

Date: 08.Mar.2021

Tadas Kargelis
Organic Chemist

(as this certificate is a computer printout, it has not been signed or dated by hand)



Megazyme

Megazyme Building 1,
Bray Business Park,
Bray, Co. Wicklow,
A98 YV29,
Ireland.
Tel: + 353 1 2861220 Fax: + 353 1 2861264

HPLC:

Product: O-MAL6, Lot 210306

Column: Shodex Asahipak NH2P-40 3E analytical column

Temperature: 35°C

Flow rate: 0.35 mL/min (Eluent gradient shown below)

Detector: CAD (Charged Aerosol Detector)

HPLC System: Thermofisher U3000 Ultimate and Chromeleon v 7.0 software

Time (min)	H ₂ O (%)	CH ₃ CN (%)
0	40	60
1	40	60
14	60	40
16	40	60
18	40	60
20	40	60

